












## Product Sheet

1/2

<b>Product number</b>	33001410
<b>Product name</b>	AL-6-FEi-AS - G20 - 12-20mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,50 kW - 4,50 kW
<b>Consumption</b>	0,43 m3/h
<b>Dimensions</b>	58x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610308



Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEi / FSEI Wire mesh AL6-FEi / FSEI Gitter AL6-FEi / FSEI Grille AL6-FEi / FSEI Malla AL6-FEi / FSEI	1,00
 02530000	Stoffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00



**ALKE**  
Heating Technology

www.alke.nl

info@alke.nl


Industrielaan 11a  
3925 BD Scherpenzeel  
The Netherlands

Tel. + 31 (0)33-277 3824  
Chamber of Commerce: 09047994  
VAT number: NL005452612B01

## Product Sheet

2/2

**Product number** 33001410  
**Product name** AL-6-FEi-AS - G20 - 12-20mbar  
**Connection** 1/4"  
**Capacity** 3,50 kW - 4,50 kW  
**Consumption** 0,43 m3/h  
**Dimensions** 58x42x29cm  
**Weight** 8 Kg  
**EAN Code** 8720153610308



Product number	Description	Quantity
03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
10001112	Beveiligingsset AL-6-FEi-G20 - 12-20mbar Safetydevice set AL-6-FEi-G20 - 12-20mbar Sicherheitsset AL-6-FEi-G20 - 12-20mbar Kit de sécurité AL-6-FEi-G20 - 12-20mbar Kit de válvula de seguridad AL-6-FEi-G20 - 12-20mbar	1,00














## Product Sheet

1/2

<b>Product number</b>	33001420
<b>Product name</b>	AL-6-FEi-AS-G20 - 100-200mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,80 kW - 5,40 kW
<b>Consumption</b>	0,52 m3/h
<b>Dimensions</b>	58x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610780




Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01313013	Venturi messing 18x33 diam. 10,5 mm Venturi brass 18x33 diam. 10,5 mm Venturi Messing 18x33 diam. 10,5 mm Venturi laiton 18x33 diam. 10,5 mm Venturi Latón 18x33 diam. 10,5 mm	1,00
 01642017	Branderbak AL-6 gekit Hoge druk Burnerhouse AL-6 inclusive high-pressure ceramic stones Brennergehäuse AL-6 inklusive Hochdrucksteine Brûleur AL-6 y compris les céramiques haute pression Quemador AL-6 inclusive cerámicas de alta presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEi / FSEI Wire mesh AL6-FEi / FSEI Gitter AL6-FEi / FSEI Grille AL6-FEi / FSEI Malla AL6-FEi / FSEI	1,00






## Product Sheet

2/2

<b>Product number</b>	33001420
<b>Product name</b>	AL-6-FEi-AS-G20 - 100-200mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,80 kW - 5,40 kW
<b>Consumption</b>	0,52 m3/h
<b>Dimensions</b>	58x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610780




Product number	Description	Quantity
 02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
 10001122	Beveiligingsset AL-6-FEi-G20 - 100-200mbar Safetydevice set AL-6-FEi-G20 - 100-200mbar Sicherheitsset AL-6-FEi-G20 - 100-200mbar Kit de sécurité AL-6-FEi-G20 - 100-200mbar Kit de valvula de seguridad AL-6-FEi-G20 - 100-200mbar	1,00











## Product Sheet

1/2

<b>Product number</b>	33001430
<b>Product name</b>	AL-6-FEi-AS-G25 - 12-20mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,50 kW - 4,50 kW
<b>Consumption</b>	0,50 m3/h
<b>Dimensions</b>	58x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610315




Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEi / FSEI Wire mesh AL6-FEi / FSEI Gitter AL6-FEi / FSEI Grille AL6-FEi / FSEI Malla AL6-FEi / FSEI	1,00
 02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00



## Product Sheet

2/2



<b>Product number</b>	33001430
<b>Product name</b>	AL-6-FEi-AS-G25 - 12-20mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,50 kW - 4,50 kW
<b>Consumption</b>	0,50 m3/h
<b>Dimensions</b>	58x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610315

Product number	Description	Quantity
03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
10001132	Beveiligingsset AL-6-FEi-G25 - 12-20mbar Safetydevice set AL-6-FEi-G25 - 12-20mbar Sicherheitsset AL-6-FEi-G25 - 12-20mbar Kit de sécurité AL-6-FEi-G25 - 12-20mbar Kit de valvula de seguridad AL-6-FEi-G25 - 12-20mbar	1,00














## Product Sheet

1/2

<b>Product number</b>	33001440
<b>Product name</b>	AL-6-FEi-AS-G25.3 - 15-25mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,60 kW - 4,70 kW
<b>Consumption</b>	0,51 m3/h
<b>Dimensions</b>	58x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610322




Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01313025	Venturi messing 18x33 diam. 15 mm Venturi brass 18x33 diam. 15 mm Venturi Messing 18x33 diam. 15 mm Venturi laiton 18x33 diam. 15 mm Venturi Latón 18x33 diam. 15 mm	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEi / FSEI Wire mesh AL6-FEi / FSEI Gitter AL6-FEi / FSEI Grille AL6-FEi / FSEI Malla AL6-FEi / FSEI	1,00






## Product Sheet

2/2

<b>Product number</b>	33001440
<b>Product name</b>	AL-6-FEi-AS-G25.3 - 15-25mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,60 kW - 4,70 kW
<b>Consumption</b>	0,51 m3/h
<b>Dimensions</b>	58x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610322



Product number	Description	Quantity
 02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
 10001142	Beveiligingsset AL-6-FEi-G25.3 - 15-25mbar Safetydevice set AL-6-FEi-G25.3 - 15-25mbar Sicherheitsset AL-6-FEi-G25.3 - 15-25mbar Kit de sécurité AL-6-FEi-G25.3 - 15-25mbar Kit de valvula de seguridad AL-6-FEi-G25.3 - 15-25mbar	1,00














## Product Sheet

1/2

<b>Product number</b>	33001450
<b>Product name</b>	AL-6-FEi-AS-G25.3 - 100-200mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,80 kW - 5,40 kW
<b>Consumption</b>	0,59 m3/h
<b>Dimensions</b>	58x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610797




Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01313013	Venturi messing 18x33 diam. 10,5 mm Venturi brass 18x33 diam. 10,5 mm Venturi Messing 18x33 diam. 10,5 mm Venturi laiton 18x33 diam. 10,5 mm Venturi Latón 18x33 diam. 10,5 mm	1,00
 01642017	Branderbak AL-6 gekit Hoge druk Burnerhouse AL-6 inclusive high-pressure ceramic stones Brennergehäuse AL-6 inklusive Hochdrucksteine Brûleur AL-6 y compris les céramiques haute pression Quemador AL-6 inclusive cerámicas de alta presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEi / FSEI Wire mesh AL6-FEi / FSEI Gitter AL6-FEi / FSEI Grille AL6-FEi / FSEI Malla AL6-FEi / FSEI	1,00






## Product Sheet

2/2

<b>Product number</b>	33001450
<b>Product name</b>	AL-6-FEi-AS-G25.3 - 100-200mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,80 kW - 5,40 kW
<b>Consumption</b>	0,59 m3/h
<b>Dimensions</b>	58x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610797




Product number	Description	Quantity
 02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
 10001152	Beveiligingsset AL-6-FEi-G25.3 - 100-200mbar Safetydevice set AL-6-FEi-G25.3 - 100-200mbar Sicherheitsset AL-6-FEi-G25.3 - 100-200mbar Kit de sécurité AL-6-FEi-G25.3 - 100-200mbar Kit de valvula de seguridad AL-6-FEi-G25.3 - 100-200mbar	1,00











## Product Sheet

1/2

<b>Product number</b>	33001460
<b>Product name</b>	AL-6-FEi-AS-G31 - 25-50mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,20 kW - 4,50 kW
<b>Consumption</b>	322 g/h
<b>Dimensions</b>	58x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610339




Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEi / FSEI Wire mesh AL6-FEi / FSEI Gitter AL6-FEi / FSEI Grille AL6-FEi / FSEI Malla AL6-FEi / FSEI	1,00
 02530000	Stoffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00



## Product Sheet

2/2



Product number	33001460
Product name	AL-6-FEi-AS-G31 - 25-50mbar
Connection	1/4"
Capacity	3,20 kW - 4,50 kW
Consumption	322 g/h
Dimensions	58x42x29cm
Weight	8 Kg
EAN Code	8720153610339

Product number	Description	Quantity
03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
10001162	Beveiligingsset AL-6-FEi-G31 - 25-50mbar Safetydevice set AL-6-FEi-G31 - 25-50mbar Sicherheitsset AL-6-FEi-G31 - 25-50mbar Kit de sécurité AL-6-FEi-G31 - 25-50mbar Kit de valvula de seguridad AL-6-FEi-G31 - 25-50mbar	1,00














## Product Sheet

1/2

<b>Product number</b>	33001470
<b>Product name</b>	AL-6-FEi-AS-G31 - 75-150mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,30 kW - 4,75 kW
<b>Consumption</b>	340 g/h
<b>Dimensions</b>	58x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610346




Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01313018	Venturi messing 18x33 diam. 12 mm Venturi brass 18x33 diam. 12 mm Venturi Messing 18x33 diam. 12 mm Venturi laiton 18x33 diam. 12 mm Venturi Latón 18x33 diam. 12 mm	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEi / FSEI Wire mesh AL6-FEi / FSEI Gitter AL6-FEi / FSEI Grille AL6-FEi / FSEI Malla AL6-FEi / FSEI	1,00






## Product Sheet

2/2



<b>Product number</b>	33001470
<b>Product name</b>	AL-6-FEi-AS-G31 - 75-150mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,30 kW - 4,75 kW
<b>Consumption</b>	340 g/h
<b>Dimensions</b>	58x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610346

Product number	Description	Quantity
 02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
 10001172	Beveiligingsset AL-6-FEi-G31 - 75-150mbar Safetydevice set AL-6-FEi-G31 - 75-150mbar Sicherheitsset AL-6-FEi-G31 - 75-150mbar Kit de sécurité AL-6-FEi-G31 - 75-150mbar Kit de valvula de seguridad AL-6-FEi-G31 - 75-150mbar	1,00